

AMENDMENTS TO THE CLAIMS:

1. Cancelled Herein.
2. (Currently Amended) A construction material according to ~~claim 1~~ claim 12, wherein the granules are angular or multi-facet granules.
3. (Currently Amended) A construction material according to ~~claim 1~~ claim 12, wherein the granules have smooth surfaces.
4. (Currently Amended) A construction material according to ~~claim 1~~ claim 12, wherein the granules are substantially free from dust.
5. (Currently Amended) A construction material according to ~~claim 1~~ claim 12, wherein substantially all of the granules are in the size range of 0.5mm to 10mm.
6. (Previously Presented) A construction material according to claim 5, wherein substantially all of the granules are in the size range from 1mm to 4mm.
7. (Currently Amended) A construction material ~~for use as, or in a wearing course, which comprises an agglomerate of granules of a thermoplastic elastomer~~ according to claim 12, wherein the thermoplastic elastomer is a styrene block copolymer.
8. Previously Cancelled.
9. (Currently Amended) A construction material according to ~~claim 1~~ claim 12, wherein the thermoplastic elastomer is one or more of:
  - a styrene-butadiene-styrene (SBS) block co-polymer,
  - a styrene-isoprene-styrene (SIS) block copolymer,
  - a styrene-ethylene-butadiene-styrene (SEBS) block copolymer.

10. Previously Cancelled.

11. (Currently Amended) A construction material according to ~~claim 1~~ claim 12, wherein ~~the~~ which includes a pigment.

12. (Currently Amended) A construction material ~~of claim 1~~, for use as, or in, a wearing course, which comprises an agglomerate of granules of a thermoplastic elastomer, wherein the granules are agglomerated together by means of a binder, and said  
5 thermoplastic elastomer comprises a styrene block copolymer.

13. (Previously Presented) A construction material according to claim 12, wherein the binder substantially fills the interstices between the granules.

14. (Currently Amended) A construction material, ~~according to claim 1~~, for use as, or in, a wearing course, which comprises an agglomerate of granules of a thermoplastic elastomer, wherein the granules are agglomerated together by  
5 having been melded together, and said thermoplastic elastomer comprises a styrene block copolymer.

15. (Currently Amended) A granular thermoplastic elastomer suitable for use in the construction material, according to ~~claim 1~~ claim 12, wherein the granules of thermoplastic elastomer are angular or multi-facet granules.

16. Previously Cancelled.

17. (Currently Amended) A composition suitable for the preparation of a construction material as claimed in ~~claim 1~~ claim 12, the composition comprising:

(a) a first component comprising a granular  
5 thermoplastic elastomer; and

(b) a second component comprising a binding agent for the granules.

18. (Original) A composition according to claim 17, wherein the binding agent is a polyurethane binder.

19. Cancelled Herein.

20. (Currently Amended) A wearing course according to ~~claim 19~~ claim 21, which has a thickness in the range ~~1cm to 10cm, especially~~ 2cm to 6cm.

21. (Currently Amended) A wearing course ~~according to claim 19,~~ comprising a laid layer of a construction material comprising an agglomerate of granules of a thermoplastic elastomer, said thermoplastic elastomer comprises a styrene block  
 5 copolymer, wherein the and said construction material has been compacted after laying.

22. (Currently Amended) A wearing course according to ~~claim 19~~ claim 21, which has been laid in direct contact with the ground.

23. (Currently Amended) A wearing course according to claim ~~[[19]]~~ 25, wherein said layer is supported by an underlying bulk layer.

24. Cancelled Herein.

25. (Currently Amended) A wearing course ~~according to claim 24, wherein the granules of rubber have been~~ comprising a laid layer of a construction material and a bulk layer supporting the laid layer, said construction material comprises an  
 5 agglomerate of granules of a thermoplastic elastomer comprising a styrene block copolymer, and said bulk layer comprises rubber granules agglomerated by means of a binder.

26. (Currently Amended) A wearing course according to ~~claim 23~~ claim 25, wherein the bulk layer has a thickness of up to 10cm, especially from 2cm to 6cm.

27. (New) A construction material according to claim 14, wherein the granules are angular or multi-facet granules.

28. (New) A construction material according to claim 14, wherein the granules have smooth surfaces.

29. (New) A construction material according to claim 14, wherein the granules are substantially free from dust.

30. (New) A construction material according to claim 14, wherein substantially all of the granules are in the size range of 0.5mm to 10mm.

31. (New) A construction material according to claim 30, wherein substantially all of the granules are in the size range from 1mm to 4mm.

32. (New) A construction material according to claim 14, wherein the thermoplastic elastomer is a styrene block copolymer.

33. (New) A construction material according to claim 14, wherein the thermoplastic elastomer is one or more of:  
a styrene-butadiene-styrene (SBS) block co-polymer,  
a styrene-isoprene-styrene (SIS) block copolymer,  
5 a styrene-ethylene-butadiene-styrene (SEBS) block copolymer.

34. (New) A construction material according to claim 14, which includes a pigment.